



MATERIAL SAFETY DATA SHEET

Magic Sleek Step#1 Prepare Shampoo

SECTION 1: Identification

Product Name:

MAGIC SLEEK STEP #1 PREPARE SHAMPOO

Product Category: Hair Treatment

Company Identification:

KAOS ENTERPRISES, INC. DBA MAGIC SLEEK

290 GORDONS CORNER ROAD.

MANALAPAN, NJ, 07726, UNITED STATES. TELEPHONE: 732-536-1660 / 888-646-6592

SECTION 2: Hazard Identification

Skin Irritant Category 3 Eye Irritation Category 2A

GHS Precautionary Phrases: H319: Causes serious eye Irritation

H316: Causes mild skin irritation

GHS Precautionary statements: P102: Keep out of reach of children

P103: Read label before use

P264: Wash thoroughly after handling

P280: Wear protective gloves and eye/face protection **GHS Response Phrases:** P332+313: If skin irritation occurs: Get medical advice/attention

P305+338+351: IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.



SECTION 3: Composition/Information on Ingredients

INCI Name	Synonyms	CAS NUMBER	Conc. (%)
Aqua	Water	7732-18-5	74.999
Sodium Lauryl Ether Sulfate	-	3088-31-1	18
Cocamidopropyl Betaine	-	61789-40-0	1
Sodium Chloride	-	7647-14-5	1
Cocamide MEA	-	68140-00-1	1
Caprylyl Glycol	-	1117-86-8	1
Phenoxyethanol	-	122-99-6	1
Hexylene Glycol	-	107-41-5	1
Parfum	-	-	0.5
Disodium EDTA	-	139-33-3	0.1
Hydrolyzed Keratin	-	69430-36-0	0.1
Sodium Hydroxide	-	1310-73-2	0.05
Tannic Acid	-	1401-55-4	0.001
Butylphenyl Methylpropional	-	80-54-6	0.12165
Linalool	-	78-70-6	0.07835
D&C Violet #2 (CI 60730).	-	-	0.05

Note: Some Specific chemical Identities and/or exact percentage (Concentrations) have been withheld as a trade secret

SECTION 4: First Aid Measures

Emergency and First Aid Procedures

- **1- Skin:** Discontinue use of product. Apply cold compresses to affected areas to relieve any discomfort. If discomfort persists, you should contact a physician.
- **2 Eyes:** Immediately flush with clean, lukewarm water (low pressure) occasionally lifting eyelids. Seek medical attention if irritation develops.
- **3 Inhalation:** If respiratory irritation occurs, remove the individual to fresh air.
- **4 Ingestion:** Accidental ingestion of the product may necessitate medical attention. In case of accidental ingestion, dilute with fluids (milk or water). Do not induce vomiting.

SECTION 5: Fire-Fighting Measures

Extinguishing Media: Carbon dioxide, dry chemical, foam, or water spray.

Fire Fighting Procedures: Contact emergency personnel. Use self-contained breathing apparatus and full protective gear, if large quantities of product are involved.

Unusual Fire Fighting Procedures: None

SECTION 6: Accidental Release Measures

Environmental Precautions: N/A

Methods for cleaning up: Soak up with absorbent materials and wash with water; place in non-leaking containers for appropriate disposal.

SECTION 7: Handling and Storage

Ventilation:

No ventilation requirements

Storage:

Store upright at room temperature. In order to maintain product quality do not store near heat sources or in direct sunlight.

Other Precautions: Avoid bacterial contamination. Keep containers tightly closed when not in use.

<u>SECTION 8: Exposure Controls/Personal</u> <u>Protection</u>

OSHA Permissible Exposure Limits

Chemical Name	OSHA PEL	ACGIH TLV (TWA)
-	-	-

The TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8

hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be

equaled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

Respiratory Protection: Not applicable under normal conditions **Skin Protection:** Resistant Plastic or rubber gloves (optional) **Eye Protection:** Safety glasses or goggles. (optional)

SECTION 9: Exposure Controls/Personal Protection

Appearance: Viscous Liquid. **Upper/lower flammability:** N/A

Odor: Acai Buriti. Color: Light Violet. Vapor pressure: N/A Odor threshold: N/A Vapor density: N/A

pH: 8.0 - 9.0.

Density (g/cm³): 0.900 - 1.100. Specific Gravity: 0.900 - 1.100. Viscosity (cPs): 6.000 - 9.000. Melting point/freezing point: N/A

Solubility: Soluble in Water

Initial boiling point and boiling range: N/A

Flash point: N/A Evaporation rate: N/A Flammability: N/A

Partition coefficient (n-octanol/water): N/A

Auto-ignition temperature: N/A Decomposition temperature: N/A

Note: Some of the data above is not shown either because it is not relevant and/or readily available.

SECTION 10: Stability and Reactivity

Stability: Stable

Conditions to avoid: Direct Heat

Incompatibility (Materials to avoid): None Hazardous Polymerization: Does not occur Hazardous Decomposition Products: Unknown

SECTION 11: Toxicological Information

NO INFORMATION

SECTION 12: Ecological Information

No ecological hazards have been tested to be associated with this product.

SECTION 13: Disposal Considerations

Do not contaminate food or feed by storage or disposal. Do not reuse empty containers. Wrap empty container and throw it in the trash collection. Dispose of according to federal, state, and local regulations regarding health, air, and water pollution.

SECTION 14: Transport Information

Finished packaged product transported by ground (DOT): No Information Finished packaged product transported by vessel (IMDG): No Information Finished packaged product transported by air (IATA): No Information

SECTION 15: Regulatory Information

No Information

SECTION 16: Other Information

KAOS ENTERPRISES, INC. DBA MAGIC SLEEK believes that the information contained in this M.S.D.S is correct as of this date. However, because the material may be used under conditions which KAOS ENTERPRISES, INC. has no control of or in ways we cannot anticipate, we give no warranty, expressed or implied, as to accuracy of the information and assume no responsibility for any damage to person, property or business arising from such use. Moreover, it is the responsibility of the purchaser or user of this material to ensure that it is properly and safely used.



